

CHAIABALA, M., Dr.techn., CSc. (Bratislava, ul. Ondrejov 12); BAJY, J.
progress in the production and control of tablets. Pt.7. Czech.
farm. 14 no.4:171-175 Noy '65.

1. Katedra galenické farmacie farmaceutické fakulty Univerzity
Komenského, Bratislava.

CHALABALA, M.; MALÝ, J.

Progress in the technology of drugs in 1961. Česk. farm. 12 no.3:
139-153 Mr '63.

1. Katedra galenické farmacie, farmaceutická fakulta UK, Bratislava.
(DRUGS) (CHEMISTRY, PHARMACEUTICAL) (TABLETS)
(EMULSIONS) (SUSPENSIONS)

CHALABALA, M.; MALY, J.

Advances in the production and control of tablets. V. Cesk. farm. 12
no.1:47-50 Ja '63.

1. Katedra galenické farmacie farmaceuticke fakulty University Komenskeho,
Bratislava.

(TABLETS) (CHEMISTRY, PHARMACEUTICAL)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031900018-6

MALY, J.

"Modern technology of coal beneficiation."

CZECHOSLOVAK HEAVY INDUSTRY, Prague, Czechoslovakia, No. 4, 1959

Monthly List of East European Accessions Index (EEAI), LC, Vol. 8, No. 8,
August 1959

Unclassified

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031900018-6

MALÝ, J.; HOJOVEC, V.

Reconstruction of a lost trigonometrical point. p. 103. (GEODETICKY A
KARTOGRAFICKY OBZOR, Vol. 3, No. 6, June 1957, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EEL) LC, Vol. 6, No. 12, Dec 1957. Uncl.

MALY, J., inz.; JANOSIKOVA, V., inz.; MAZANEC, K., inz., Kandidat technickych vod.

Oxy-acetylene cutting of low-alloyed self-hardening
steel. Zvar sbor 9 no. 3:325-344 '60

1. Vyskumnny ustav zvaracsky, Bratislava (for Maly)
2. Vyzkumnny ustav, Vitkovicke zelezarny Klementa Gottwaldova
(for Janosikova and Mazanec)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031900018-6

MALY, F., ins.

"From clouds and the depth of the earth" by [inz.] Jaroslav
Hospodar. Reviewed by F. Maly. Vodni hosp 13 no.12:2 of cover '63.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031900018-6

MALY, F.

250 years of engineering schools in Prague and the development of the study of
sanitary engineering. p.113.
(Voda, Vol. 36, No. 5, May 1957, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EEAL) LC. Vol. 6, No. 9, Sept. 1957. Uncl.


MALY, F.

"Professor J. F. Schor at the Prague Engineering Schools."

p. 322 (Vodni Hospodarstvi) No. 12, Dec. 1957
Prague, Czechoslovakia

SO: Monthly Index of East European Acquisitions (EEAI) LC. Vol. 7, no. 4,
April 1958

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031900018-6



CZECHOSLOVAKIA

UDC 614.715(546.284)-074:545.843

MALY, Ernest; Institute of Work Hygiene and Occupational Diseases
(Ustav Hygieny Prace a Chorob z Povolania), Bratislava, Director
(Riaditeľ) Dr M. NOSAL.

"Determination of Free SiO₂ and of Total Si in Air-Borne Dusts
by Means of Precipitation Paper Chromatography."

Prague, Pracovni Lekarstvi, Vol 18, № 8, Oct 66, pp 359 - 362

Abstract /Author's English summary modified_7: The author describes
a method which he developed using paper chromatography separation
of alkaline silicates from other anions, namely phosphates. Total
silicon is transferred into solution by alkaline fusion. 2 Fig-
ures, 1 Table, 3 Western, 3 Czech, 4 Russian references. (Man-
uscript received 27 Apr 65).

1/1

Industrial Medicine

CZECHOSLOVAKIA

UDC 614.715(:668.74)-074

MALÝ, Ernest; Research Institute of Work Hygiene and Occupational Diseases (Vyskumný Ustav Hygieny Prace a Chorob z Povolania), Bratislava, Director (Riaditeľ) Prof Dr M. NOSAL.

"Determination of Tar Hydrocarbons in the Atmosphere."

Prague, Pracovní Lekarství, Vol 18, No 4, May 66, pp 161-164

Abstract /Author's English summary modified/: Identification of 1,2,3,4-dibenzopyrene in high temperature tar distillation by means of paper chromatography was investigated. Whatman No 4 paper was impregnated with a 10% petrolether paraffin oil solution, and methanol saturated with paraffin oil was used as the mobile phase. Measuring of the diameter of the 1,2,3,4-dibenzopyrene can be used for a semiquantitative determination. The method can be used for a simultaneous determination of 3,4 -benzopyrene alongside with the 1,2,3,4-dibenzopyrene. Polycyclic hydrocarbons can be determined by this method, even in amounts that are too small for weighing. 1 Figure, 1 Table, 7 Western, 8 Czech references. (Manuscript received 27 Apr 65).

1/1

MALÝ, Ernest, RNDr.

Chemical chromatographic semiquantitative determination of silica in presence of phosphates, carbonates, sulfates, and arsenates. Chem zvesti 15 no.11/12:918-921 N-D '61.

1. Ustav hygieny prace a chorob z povolania, Bratislava. Author's address: Bratislava, ul. Narodneho povstania 18-20.

MALY, E.; MADER, E.

Air pollution by tar hydrocarbons in electrolytic production of aluminum. II. Pracovni lek. 13 no. 5:242-243 Je '61.

1. Ustav hygieny prace a chorob z povolania v Bratislave, riaditeľ
MUDr. I. Klucik.

(AIR POLLUTION) (TARS)

MALY, Ernest

A method for the determination of tar hydrocarbons in the air. II,
Pracovni lek. 13 no.2:67-70 Mr '61.

1. Ustav hygiény prace a chorob z povolania v Bratislave, riaditeľ
MUDr I. Klucík.

(TAR chem) (AIR POLLUTION chem)

MALÝ, E.

Contribution to the problem of the presence of polycyclic hydrocarbons in exhaust gases from diesel engines. Pracovní lek.12 no.9:470-472 N°60.

i, Ustav hygieny prací a chorob z povolania v Bratislave, riaditeľ
MUDr. I. Klucík.

(GASES)

(ОГНЬОУЧЕНИЕ)

(AIR POLLUTION)

MALY, Ernest

A method for determination of tar polycyclic hydrocarbons in the air. Pracovní lek. 12 no.7:347-354 S '60.

I. Ustav hygieny prace a chorob z povolania v Bratislave, riaditeľ
MUDr. Imrich Klucík.
(AIR POLLUTION chem.)
(HYDROCARBONS chem.)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031900018-6

WINTER 2008


Digitized by srujanika@gmail.com

REVIEWED BY THE STAFF OF THE COMMUNIST PARTY OF THE UNITED STATES
FOR POLITICAL CONTENT
APPROVED FOR RELEASE
BY THE STAFF OF THE COMMUNIST PARTY OF THE UNITED STATES

3
2 May
2

17

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031900018-6



MALY, Ernest; JANOK, Jan

Hydrolysis of p-oxone by alkaline phosphatase. Pracovni lek.
8 no.6:408-409 Dec 56.

1. Ustav Hygiény prace a chorob z povolania v Bratislave,
prednosta MUDr. I. Klucik.

(PHOSPHATES,

hydrolysis of diethyl-p-nitrophenylphosphate to
p-nitrophenol & diethylphosphoric acid by alkaline
phosphatase (Cz))

(PHOSPHATASES,

alkaline phosphatase, hydrolysis of diethyl-p-nitrophenyl-
phosphate to p-nitrophenol (Cz))

MALY, E.

Experiment with elementary microanalysis by carbonization and diffusion. p. 518. CHEMICKE ZVESTI. Bratislava. Vol. 9, no. 8, Oct. 1955.

SOURCE: East European Accessions List (EEAL), LC, Vol. 5, no. 3, March 1956

MALY, Ernest

A method for determination of methyl chloride determination in
the air. Pracovní lek. 7 no.4:227-229 Jy '55.

1. Z Ustavu hygieny prace a chorob z povolania v Bratislave.
(AIR POLLUTION
methyl chloride, determ. new method)
(METHYL CHLORIDE
in air, deter., new method)

ANALY

C₇ECH

The analysis of essential oils. B. Maly. *Parfumia 27*, No. 1, 1915, No. 2, 4-12 (1933). The essential oil is first tested for the presence of S and N by the Lassaigne test. When neither is present, the acids and phenols can be extn. with 2*N* KOH. Aldehydes and ketones are removed as bisulfite addn. compds. or as semicarbazones. Alcs. can then be sepd. from the ether soln. with phthalic anhydride or by esterification with boric acid. The rest, which may contain cyclic ethers, phenolic ethers, or hydrocarbons, is sepd. by extn. of oxygenated compds. in alcs. The rest in ether contains hydrocarbons. Azulene can be sepd. by ionized H₃PO₄; the sepn. of terpenes is done by phys. methods. Chromatographic methods are most suitable. The individual groups of compds. are identified by usual org. analysis.

K. Marx

BX

The isolation and analysis of an essential oil from *S. amara*,
Klement Matl (Slovenska Univ., Bratislava, Czech.)
Chem. Zvesti, 1971, 21 (1970) — A new essential oil (I) from
S. amara of d_4^{20} 0.9125, d_4^{25} 0.9180, $[\alpha]_D^{25}$ -23, 3 (in MeOH)
was isolated. Chem. and chromatographic analyses show
that I is composed of 2 compds.: bicyclic sesquiterpene of the
cadalene type (II) and enol, which appears to be a deriv. of
sesquiterpene (III). II is a yellow oil having: d_4^{20} 0.9050,
 d_4^{25} 0.9030, $[\alpha]_D^{25}$ 1.4051, $[\alpha]_D^{25}$ -24 (in benzene), [R]₁₅ for
 $C_{10}H_{16}$, and 2 bonds was 86.23 (calcd. 86.18), mol. wt. 204.3.
III is a orange-red heavy oil having d_4^{20} 0.9892 which changes
to bitter-like matter of mol. wt. 220.34, [R]₁₅ for $C_{10}H_{16}O$
and 2 bonds was 67.19 (calcd. 67.66). The therapeutic
properties, especially for headache, are well known in Slovakia.
Jan Miksa

MALY, E.

Control examination of children born to syphilitic mothers treated
during pregnancy with penicillin. Cesk. dermat. 37 no.5:323-326 o '62.

1. Dermatovenerologicka klinika Univerzity P.J. Safarika v Kosiciach,
prednosta doc. dr. Eugen Maly.
(PENICILLIN) (PREGNANCY COMPLICATIONS) (SYPHILIS CONGENITAL)

MALY, Eugen UHRIK, Julius

Our experiences with irradiation of hemangioma with Mueller's lamp and the effect of irradiation on bone growth. Cesk. derm. 37 no.3:196-199 Je '62.

1. Dermatovenerologicka klinika lekarskej fakulty Univerzity P.J.Safarika v Kosiciach, prednosta doc. dr. E. Maly.
(BONE AND BONES radiation eff) (HEMANGIOMA radiotherapy)

MALY, Eugen, Doc., MUDr.; SOVOVA, Alzbeta, technicka laborantka

Congenital syphilis in Slovakia during 1950-1952, treated with
procain penicillin G and 2 al. monostearate. Cesk. derm. 30 no.
3:143-152 June 55.

1. Z dermatovenerologickej kliniky v Kosiciach (predmosta doc.
MUDr. E. Maly).

(SYPHILIS, CONGENITAL, therapy
procaine penicillin G in aluminum monostearate.)
(PENICILLIN, derivatives
procaine penicillin G. ther. of syphilis, in
aluminum monostearate.)

MALY, E.; GODOVIC, A.

Epidemiology of anthrax in eastern Slovakia. Cesk. derm. 28 no.8-9:
337-343 Nov 1953. (GLML 25:5)

1. Of the Dermato-Venereological Clinic (Head--Docent E. Maly, M.D.),
Kosice and of the Dermato-Venereological Department (Head--Godovic, A.
M.D.), Michalovce.

MALÝ E. Derm. Klin., Košice. * Lues congenita (liečená v roku 1950 na Slovensku s Procain penic. G s 2% Alum.) (Predbežná zpráva) monostearátom. Congenital syphilis (treated with procaine penicillin G with 2% aluminium-monostearate in 1950 in Slovakia) ČSL. DERM. 1953, 28/6 (230-240) Tables 3

In 1950 372 children with congenital syphilis in Slovakia were given procaine penicillin G with 2% aluminium monostearate. The therapeutic results were very successful in children of one and two years. In older children the treatment is to be repeated later in combination with arsenic and bismuth. The patients must remain permanently under control.

Schwank - Prague

SO: EXCERPTA MEDICA Sect. XIII Vol. 8 No. II

MALY, E.; HUSTAKOVA, O.

Penicillin level in children following administration of procaine
penicillin G in oil with 2% aluminum monostearate. Cesk.derm. 26
no.6:238-244 June 51. (CIML 21:1)

1. Of the Dermato-Venereological Clinic (Head--Docent E.Maly, M.D.)
of Slovak University Branch in Kosice.

MALY, E.

Syphilis and penicillin. Voj. zdrav. listy 20 no.4:192-158
(CML 21:1)
July-Aug 1951.

1. Of the Dermatological Clinic (Head -- Docent E. Maly, M.D.)
of Slovak University Branch in Kosice.

MALY, E.

MALY, E.

Progress in the therapy of venereal diseases. Cesk. derm.
25:Suppl. 15 Oct. 50. p. 53-67

1. Of the Dermatological Clinic of the Medical Faculty of Slovak
University in Kosice (Head--Docent E. Maly, M. D.).

CLML 20, 3, March 1951

CZECHOSLOVAKIA / Farm Animals. The Honeybee.

Q

Abs Jour: Ref Zhur-Biol., No 5, 1959, 21325.

Author : Maly, E.

Inst : Not given.

Title : The Number of Bees at the Period of Gathering

Honey from Linden Trees.

Orig Pub: Vcelarstvi, 1958, 11, No 4, 54.

Abstract: The gathering of honey from linden trees begins in Czechoslovakia on 10 June. According to "the rule of 70 days" the bees must be supplementary fed 70 days before the onset of the principal collection, i.e., from 1 April. The determination of the colony's strength is carried out according to the hatching area on 22 April, 13 May and 3 June. Three development cycles were distinguished: from 1-22 April, 22 April to 13 May, 13 May to 3 June.

Card 1/2

56599-52
CLASSIFICATION: AF-5010-988

ASSOCIATION: Vetař jaderného výzkumu CSAV, Rez (Nuclear Research Institute)

INCL: OO

SUB CODE: IE

SUMMITTED: OO

OTHER: OOO

JFRS

NO REF. SOURCE: OOO

2/2

50557-65 EKA(d)/TNT(e)/TWP(f)/TWP(g)/TWP(h) PF-4
617400000000 AF/ML/63 02/0158/64/010/012/0445/0445
14
15
16

Author: Duda, Frantisek

Title: Chronometer

Source: Izmeriva chernomir, v. 10, no. 12, 1964, 445

Abstract:

[summarizes only authors' Russian summary modified]: At the authors' suggestion, the transistorized instrument 2834 was built to form accurate time intervals and to measure time. The instrument has printed circuitry. It consists of a 10 Mc oscillator controlled by a 10 Mc quartz crystal, and a counter with a capacity of 10⁵ and provisions for presetting. The instrument replaces a number of special-purpose devices such as the pulse-width and frequency meter, the clock-quartz oscillator with variable frequency, the oscillator for a select number of pulses, the pulse counter for presetting, the frequency divider in a ratio of 1/10, etc. The measured values are read on decatrons. The dimensions of the instrument are 400 by 100 by 330 mm; its power output is 20 W.

Cont. 1/2

81383

Z/038/60/000/03/06/007

A 160-Channel Time Analyzer

Technical data: Number of channels: 160 (80+80); number of background channels: 8; capacity of each channel: 10,000 impulses; channel width: 1, 2 and 5 μ sec; width of the background channel: 20, 40 and 100 μ sec; dead time of counter: 10 milliseconds; zeroing of counters: electrical (always 80 counters at a time); resolving power: twice the width of the channel; shifting of the beginning of the measured interval: from 0 to 5,900 μ sec, in 100 μ sec units; shift error (in relation to time t_0): $\pm 0.5 \mu$ sec; number of electron valves per channel: 1.9; power input: 2.5 kw. There are 2 photographs and 3 references, 2 of which are Czech and 1 Soviet.

ASSOCIATION: Ústav jaderného výzkumu ČSAV (Institute of Nuclear Research, ČSAV),
Prague

✓

Card 3/3

81383

A 160-Channel Time Analyzer

Z/038/60/000/03/06/007

counters 1-80 and 81-160 can be zeroed electrically within 4 seconds. Installed on the control panel of the analyzer, shown in Figure 2, are 2 probes with counters, which can be connected in parallel with any one of the channel counters. One probe can be connected by a switch with any one of the channel counters 1-80, the other with any one of the channel counters 81-160. The purpose of the probes is to check the operation of any chosen counter and to automatically stop further counting when the counter has counted the predetermined number of impulses. The background level is measured by 8 separate channels, each fitted with a mechanical counter. The analyzer has an impulse counter which can count all impulses coming to the analyzer input either during the entire time of operation or only during certain periodic intervals. The width of each channel is adjustable to 1, 2 or 5 μ sec, thus determining the measured time interval of the analyses as 160, 320 and 800 μ sec respectively. The beginning of the measured interval can be shifted in relation to the zero time by a maximum of 5,900 μ sec in 100 μ sec units with an error of $\pm 0.5\mu$ sec. Either half of the analyzer (channels 1-80 and channels 81-160) can operate separately, which is of advantage in measurements with and without a sample. The one half which is just not operating can be zeroed even while the other half is in operation. The insertion of the sample into the neutron beam is controlled from the control desk of the analyzer and so is the selector. The electronic part of the analyzer is installed in the central part of the equipment, the power sources are located under the counters.

Card 2/3

81383

Z/038/60/000/03/06/007

21.5300

AUTHORS:

Malý, Br̆etislav and Duda, František

TITLE:

A 160-Channel Time Analyzer

19

PERIODICAL: Jaderná energie, 1960, No. 3, pp. 97 - 98

TEXT: The completion of the first Czechoslovak nuclear reactor in Řež has made it possible to conduct experimental research into nuclear physics in the ČSR. The article describes the time-of-flight method and the equipment used in neutron spectrometry (Ref. 1). The ÚJV designed and built a 160-channel time analyzer for measuring the neutron spectrum by the time-of-flight method. The analyzer is shown in Figure 1, and it operates as follows: Impulses, defining the zero time to are derived from a rotating selector. Impulses, coming from the neutron detector at time t_n are led to the input of the analyzer and directed into the individual channels corresponding to the time intervals t_n -to. The analysis of impulses is based on the principle of delayed coincidences arranged in matrix form. This principle has previously been described in technical literature (Ref. 2). Impulses in the individual channels are registered without reduction by mechanical counters (Ref. 3) whose number corresponds to that of the channels (160). The counters are symmetrically arranged on either side of the control panel of the analyzer. The

Card 1/3

MALY, BOHUSLAV

Svetova socialisticka hospodarska soustava. Praha, Statni Nakladatelstvi Politicke Literatury, 1961.

140 p. tables.

At head of title: Vysoka Stranicka Skola Pri UV KSC. Kafedra Politicke Ekonomie.

Bibliographical footnotes.

VRANA, Bohumir; MATIS, Frantisek; MALÝ, Bohumír; DEMEL, Josef

Congenital obliteration of the gastrointestinal lumen. Cesk. pediat.
14 no.2:130-133 5 Feb 59.

1. Detske oddeleni nemocnice OUNZ v C. Tesine, prednosta dr. B. Vrana
Chirurg. oddeleni nemocnice OUNZ v. C. Tesine, prednost dr. F. Matis
Chirurg. oddeleni nemocnice KUNZ v Ostrave-Zabrehu, prednosta dr. K.
Typovsky Detske oddeleni KUNZ v Ostrave-Zabrehu, prednosta dr. B. Vranova.

(GASTROINTESTINAL SYSTEM, abnorm.
obliteration of lumen (Cz))

11376-63

BDS

S/120/63/00/002/017/041

50

AUTHOR: Maly, B., Pantuyev, V. S., and Khachaturyan, M. N.

TITLE: Twelve-channel amplitude analyzer

PERIODICAL: Pribory i tekhnika eksperimenta, March-April 1963, v. 8, no. 2, 73-75

TEXT: The article describes a pulse-amplitude analyzer designed for nuclear spectroscopy. Pulses from a continuous spectrum are converted into pulses with 12 discrete amplitudes and distributed into the different channels by an LP-1 tube. The channel width is 5.79 v, the nonuniformity of the channels is \pm percent, the threshold stability is \pm 0.2 percent over 8 hr, and the dead time is $30/\mu$ sec. The analyzer was used for calibrating a total-absorption Cherenkov spectrometer. There are three figures.

ASSOCIATION: Ob'edinennyi institut yadernykh issledovaniy (Joint Institute for Nuclear Research)

SUBMITTED: June 18, 1962

ja/lb
Card 1/1

MALY, B.

Let us learn from the best combine operators! p. 182.

Vol. 6, no. 10, May 1956

SBORNIK. RAD A MECHANISACE A ELETRIFIKACE ZIMEDRLSTVI A LFSNICTVI
Czechoslovakia

Source: EAST EUROPEAN LISTS Vol. 5, no. 11 Nov. 1956

MALY, Antonin

Good experience with new techniques at the Nymburk marshaling yard during the winter season. Zel dop tech 11 no.3:78
'63.

BURIANKOVA, Miloslava; MALY, Antonin

Replacement of cocoa butter in confectionery. Listy cukrovar
79 no.1:14-23 Ja '63.

1. Vyzkumne pracoviste Ceske cokoladovny, Modrany.

BURIANKOVA, Miloslava; MALY, Antonin

Replacement of cacao butter in the confectionary industry. (To be
contd.). Listy cukrovar 78 no.12:281-287 D '62.

1. Vyzkumne pracoviste Ceske cokoladovny, Modrany.

MALÝ, ANTONÍN

CZECH

Identification of organic acids by distribution chromatography on paper. Antonín Malý and Jaroslav Eliášek (Vys. uč. chem. technol., Brno). Prámy v řádu 6, 138-40 (1955).—The less volatile org. acids were detd. by means of the ascending, descending, and circular method in various systems of solvents. The distn. products of wood contained the following acids: oxalic (I), tartaric (II), malic (III), succinic (IV), glutaric, and considerable amt. of pyruvic. Products of biol. decomp. of catechol contained besides I-IV, citric, malonic, and oxadipic acids, and γ -carboxymethyl- Δ^2 -butenolide.

L. J. Urbánek

C 7 C F H

The following substances were found in the sample of urine obtained from the subject. All substances were present in small amounts. The following substances were found in the sample of urine obtained from the subject. The substances present in the sample of urine obtained from the subject were found to be HC(OC)₃, which did not hydrolyze. No free uric acid or urate was found in urine neither could either uric acid or urate be detected. Hydrolyzed samples showed no organic acids. Trace amounts of uric acid, methyl uric acid, and urate were detected. Further hydrolysis, by paper chromatography, following acid hydrolysis of 1:1 dilution, revealed the following hydrolyzed products: 1) uric acid, 2) uric acid, 3) allantoin, 4) allantoic acid, and physalaemus. Uric acid and urate were identified by colorimetry and was the major uric acid product. It cannot be considered as present in the original urine because of the missing essential uric acid, allantoin and tryptophan, and a low content of methionine.

L. J. Orbenek /

MALY, Antonin; BURIANOVA, Mil

Measuring the viscosity of chocolate masses. Listy cukrovar
79 no. 12: 315-321 D '63.

1. Vyzkumne pracoviste Ceskoslovenskych cokoladoven, n.p.,
Modrany.

MALY, Antonin; ZELENKA, Ivan

Soya protein. Listy cukrovar 81 no.3:58-64 Mr '65.

1. Research Worksite of the Ceskoslovenske cokoladovny
National Enterprise, Modrany.

BRANDSHTETR, I.; VAN TUN-SEN; GAVRILOV, K.A.; GVUZD', Ye.; MALY, a.;
TAUBE, M.

Extraction chemistry of fermium and mendelevium
(TBP-HNO₃, TBP-HCl). Radiokhimiia 6 no. 1:26-35 '64.
(MIRA 17:6)

MALWINSKA, Krystyna
SURNAME, Given Names

Country: Poland

(2)

Academic Degrees: [not given]

Animal Products testing Department (Zaklad Badania Produktow Zwierzeczyh),

Affiliation: Veterinary Institute (Instytut Weterynarii), Pilawy; Director: Zbigniew GAUCU
GUSCH, Docent dr.

Source: Warsaw, Medycyna Weterynaryjna, Vol XVII, No 8, August 1961, pp 474-476

Data: "Role of Fish in Spreading of Salmonellosis in the Epizootiological and Epidemiological Aspect."

146

GPO 981643

MALWINSKA, Krystyna; GAUGUSCH, Zbigniew (Pulawy)

Experiments in the survival of *Salmonella typhimurium* outside the
animal organism. Rocznauk roln wet 70 no. 1/4: 416 '60.
(EEAI 10:9)

(*Salmonella typhimurium*)

MALWINSKA, Krystyna (Pulawy)

Studies on the course of *Salmonella typhimurium* in infected fish.
Rocznik nauk roln. wet. 70 no. 1/4: 415 '60. (EEAI 10:9)

(Fishes) (*Salmonella typhimurium*)

MAIWINSKA, K.

"Activity of the Polish Anglers Association in the Krakow District."
P. 18, (GOSPODARKA RYBNA, Vol. 5, No. 11, Novl. 1953. Warszawa,
Poland.)

SO: Monthly List of East European Acquisitions, (EEA), LC, Vol. 3,
No. 12, Dec. 1954, Uncl.

MALWINSKA, K.

"From Life of the Polish Anglers Association; Projected Changes in the Association's Bylaws." P. 17. (GOSPODARKA RYBNA, Vol. 5, No. 11, Nov. 1953. Warszawa, Poland.)

SC: Monthly List of East European Accessions, (EEAL), LC,
Vol. 3, No. 12, Dec. 1954, Uncl.

MALWINSKA, K.

"Smallpox in Carp." p. 16. (GGSIPOMARKA RYDMA, Vol. 5, No. 11,
Nov. 1953. Warszawa, Poland.)

SO: Monthly List of East European Acquisitions, (EVAL), IC,
Vol. 3, No. 12, Dec. 1954, Uncl.

USSR/Fitting Out of Laboratories ... Instruments, Their Theory, Construction, and Use, II

Abst Journal: Referat Zhur - Koinika, No 1, 1957, 1324

Abstract: with 5-6 pulse-recording channels is used in the investigation of the α -particle spectrum, an α -radioactivity of $\sim 5 \times 10^{-13}$ curies can be detected in one cubic meter of air.

Card 2/2

Mal'visini, A.

USSR/Fitting Out of Laboratories -- Instruments, Their Theory, Construction, and Use, II

Abst Journal: Referat Zhur - Khimiya, No 1, 1957, 1324

Author: Fachin, U., and Mal'visini, A.

Institution: None

Title: The Study of Alpha-Radioactivity in Air With the Aid of a Quick-Acting Ionization Chamber

Original

Periodical: Sb.: Dozimetriya ioniziruyushchikh izlucheniyy, Moscow, Gostekh-teoretizdat, 1956, 274-278

Abstract: It has been found that oxygen contamination (~0.25%) of the Ar-N₂ filler gas of a rapid-response ionization chamber (BIK) has practically no effect on the amplitude of the pulse at voltages exceeding a certain value. The linearity of the BIK is not impaired. A study has been made of the α -particle spectrum of radioactive dust deposited on the plate of the electrostatic precipitator. The background of the BIK is ~one pulse/min. When an amplitude analyzer

Card 1/2

MALVINSKII, W.W.

Problem of the use of Feder's number in sanitary meat inspection. J. Hyg., Epidem., Praha 3 no.1:117-120 1959.

1. Lehrstuhl für Ernährungshygiene des mit dem Leninorden ausgezeichneten Ersten Moskauer Setschenow-Instituts.
(MEAT

inspection, use of Feder's number (Ger))

MALVINSKY
KRUSTALEV, A.A.; MALVINSKY, V.V.

Experiments and hygiene research in the work of F. F. Erisman on nutritional hygiene. J. Hyg. Epidem., Praha 1 no.4:504-511 1957.

1. Chair of Nutritional Hygiene, Sechenov Medical Institute, Moscow.
(NUTRITION,
hyg., contribution of F. F. Erisman)
(BIOGRAPHIES,
Erisman, F.F.)

MAL'VINSKIY, V.V.

Criticism of certain methods of studying the nutrition of the
population. Gig.i san.no.2:56 F '54.
(MLRA 7:2)
(Nutrition)

CA 19

1st AND 2nd SERIES
3rd AND 4th SERIES

PROCESSING AND PROPERTIES INDEX

COMMON ELEMENTS

MATERIALS INDEX

OPEN

SECTION CIVILIAN INDUSTRIAL

Qualitative test for loss of lead by the glass of ceramic products. V. V. Mal'vinikh. *Gidro i Sint.* 11, No. 9, 55-6(1946).—A suspension of $KSnI_3$ (by mixing soln. solns. of KI and $SnCl_4$) is taken up in HCl and drops of the soln. are placed on the test sample. Poor-quality glass loses Pb and gives an orange-red spot; good glass merely leaves a whitish spot when the drop dries. Stirring the drop with a glass rod facilitates the test. (T. M. K.)

61M-SLA METALLURGICAL LITERATURE CLASSIFICATION

10000 11000 21000	100000 101000 102000	103000 104000 105000	106000 107000 108000	109000 110000 111000	112000 113000 114000	115000 116000 117000	118000 119000 120000	121000 122000 123000	124000 125000 126000	127000 128000 129000	130000 131000 132000	133000 134000 135000	136000 137000 138000	139000 140000 141000	142000 143000 144000	145000 146000 147000	148000 149000 150000	151000 152000 153000	154000 155000 156000	157000 158000 159000	150000 151000 152000	153000 154000 155000	156000 157000 158000	159000 160000 161000	162000 163000 164000	165000 166000 167000	168000 169000 170000	171000 172000 173000	174000 175000 176000	177000 178000 179000	170000 171000 172000	173000 174000 175000	176000 177000 178000	179000 180000 181000	182000 183000 184000	185000 186000 187000	188000 189000 190000	191000 192000 193000	194000 195000 196000	197000 198000 199000	190000 191000 192000	193000 194000 195000	196000 197000 198000	199000 200000 201000	202000 203000 204000	205000 206000 207000	208000 209000 210000	211000 212000 213000	214000 215000 216000	217000 218000 219000	210000 211000 212000	213000 214000 215000	216000 217000 218000	219000 220000 221000	222000 223000 224000	225000 226000 227000	228000 229000 230000	231000 232000 233000	234000 235000 236000	237000 238000 239000	230000 231000 232000	233000 234000 235000	236000 237000 238000	239000 240000 241000	242000 243000 244000	245000 246000 247000	248000 249000 250000	251000 252000 253000	254000 255000 256000	257000 258000 259000	250000 251000 252000	253000 254000 255000	256000 257000 258000	259000 260000 261000	262000 263000 264000	265000 266000 267000	268000 269000 270000	271000 272000 273000	274000 275000 276000	277000 278000 279000	270000 271000 272000	273000 274000 275000	276000 277000 278000	279000 280000 281000	282000 283000 284000	285000 286000 287000	288000 289000 290000	291000 292000 293000	294000 295000 296000	297000 298000 299000	290000 291000 292000	293000 294000 295000	296000 297000 298000	299000 300000 301000	302000 303000 304000	305000 306000 307000	308000 309000 310000	311000 312000 313000	314000 315000 316000	317000 318000 319000	310000 311000 312000	313000 314000 315000	316000 317000 318000	319000 320000 321000	322000 323000 324000	325000 326000 327000	328000 329000 330000	331000 332000 333000	334000 335000 336000	337000 338000 339000	330000 331000 332000	333000 334000 335000	336000 337000 338000	339000 340000 341000	342000 343000 344000	345000 346000 347000	348000 349000 350000	351000 352000 353000	354000 355000 356000	357000 358000 359000	350000 351000 352000	353000 354000 355000	356000 357000 358000	359000 360000 361000	362000 363000 364000	365000 366000 367000	368000 369000 370000	371000 372000 373000	374000 375000 376000	377000 378000 379000	370000 371000 372000	373000 374000 375000	376000 377000 378000	379000 380000 381000	382000 383000 384000	385000 386000 387000	388000 389000 390000	391000 392000 393000	394000 395000 396000	397000 398000 399000	390000 391000 392000	393000 394000 395000	396000 397000 398000	399000 400000 401000	402000 403000 404000	405000 406000 407000	408000 409000 410000	411000 412000 413000	414000 415000 416000	417000 418000 419000	410000 411000 412000	413000 414000 415000	416000 417000 418000	419000 420000 421000	422000 423000 424000	425000 426000 427000	428000 429000 430000	431000 432000 433000	434000 435000 436000	437000 438000 439000	430000 431000 432000	433000 434000 435000	436000 437000 438000	439000 440000 441000	442000 443000 444000	445000 446000 447000	448000 449000 450000	451000 452000 453000	454000 455000 456000	457000 458000 459000	450000 451000 452000	453000 454000 455000	456000 457000 458000	459000 460000 461000	462000 463000 464000	465000 466000 467000	468000 469000 470000	471000 472000 473000	474000 475000 476000	477000 478000 479000	470000 471000 472000	473000 474000 475000	476000 477000 478000	479000 480000 481000	482000 483000 484000	485000 486000 487000	488000 489000 490000	491000 492000 493000	494000 495000 496000	497000 498000 499000	490000 491000 492000	493000 494000 495000	496000 497000 498000	499000 500000 501000	502000 503000 504000	505000 506000 507000	508000 509000 510000	511000 512000 513000	514000 515000 516000	517000 518000 519000	510000 511000 512000	513000 514000 515000	516000 517000 518000	519000 520000 521000	522000 523000 524000	525000 526000 527000	528000 529000 530000	531000 532000 533000	534000 535000 536000	537000 538000 539000	530000 531000 532000	533000 534000 535000	536000 537000 538000	539000 540000 541000	542000 543000 544000	545000 546000 547000	548000 549000 550000	551000 552000 553000	554000 555000 556000	557000 558000 559000	550000 551000 552000	553000 554000 555000	556000 557000 558000	559000 560000 561000	562000 563000 564000	565000 566000 567000	568000 569000 570000	571000 572000 573000	574000 575000 576000	577000 578000 579000	570000 571000 572000	573000 574000 575000	576000 577000 578000	579000 580000 581000	582000 583000 584000	585000 586000 587000	588000 589000 590000	591000 592000 593000	594000 595000 596000	597000 598000 599000	590000 591000 592000	593000 594000 595000	596000 597000 598000	599000 600000 601000	602000 603000 604000	605000 606000 607000	608000 609000 610000	611000 612000 613000	614000 615000 616000	617000 618000 619000	610000 611000 612000	613000 614000 615000	616000 617000 618000	619000 620000 621000	622000 623000 624000	625000 626000 627000	628000 629000 630000	631000 632000 633000	634000 635000 636000	637000 638000 639000	630000 631000 632000	633000 634000 635000	636000 637000 638000	639000 640000 641000	642000 643000 644000	645000 646000 647000	648000 649000 650000	651000 652000 653000	654000 655000 656000	657000 658000 659000	650000 651000 652000	653000 654000 655000	656000 657000 658000	659000 660000 661000	662000 663000 664000	665000 666000 667000	668000 669000 670000	671000 672000 673000	674000 675000 676000	677000 678000 679000	670000 671000 672000	673000 674000 675000	676000 677000 678000	679000 680000 681000	682000 683000 684000	685000 686000 687000	688000 689000 690000	691000 692000 693000	694000 695000 696000	697000 698000 699000	690000 691000 692000	693000 694000 695000	696000 697000 698000	699000 700000 701000	702000 703000 704000	705000 706000 707000	708000 709000 709000	710000 711000 712000	713000 714000 715000	716000 717000 718000	719000 719000 719000	720000 721000 722000	723000 724000 725000	726000 727000 728000	729000 729000 729000	730000 731000 732000	733000 734000 735000	736000 737000 738000	739000 739000 739000	740000 741000 742000	743000 744000 745000	746000 747000 748000	749000 749000 749000	750000 751000 752000	753000 754000 755000	756000 757000 758000	759000 759000 759000	760000 761000 762000	763000 764000 765000	766000 767000 768000	769000 769000 769000	770000 771000 772000	773000 774000 775000	776000 777000 778000	779000 779000 779000	780000 781000 782000	783000 784000 785000	786000 787000 788000	789000 789000 789000	790000 791000 792000	793000 794000 795000	796000 797000 798000	799000 799000 799000	800000 801000 802000	803000 804000 805000	806000 807000 808000	809000 809000 809000	810000 811000 812000	813000 814000 815000	816000 817000 818000	819000 819000 819000	820000 821000 822000	823000 824000 825000	826000 827000 828000	829000 829000 829000	830000 831000 832000	833000 834000 835000	836000 837000 838000	839000 839000 839000	840000 841000 842000	843000 844000 845000	846000 847000 848000	849000 849000 849000	850000 851000 852000	853000 854000 855000	856000 857000 858000	859000 859000 859000	860000 861000 862000	863000 864000 865000	866000 867000 868000	869000 869000 869000	870000 871000 872000	873000 874000 875000	876000 877000 878000	879000 879000 879000	880000 881000 882000	883000 884000 885000	886000 887000 888000	889000 889000 889000	890000 891000 892000	893000 894000 895000	896000 897000 898000	899000 899000 899000	900000 901000 902000	903000 904000 905000	906000 907000 908000	909000 909000 909000	910000 911000 912000	913000 914000 915000	916000 917000 918000	919000 919000 919000	920000 921000 922000	923000 924000 925000	926000 927000 928000	929000 929000 929000	930000 931000 932000	933000 934000 935000	936000 937000 938000	939000 939000 939000	940000 941000 942000	943000 944000 945000	946000 947000 948000	949000 949000 949000	950000 951000 952000	953000 954000 955000	956000 957000 958000	959000 959000 959000	960000 961000 962000	963000 964000 965000	966000 967000 968000	969000 969000 969000	970000 971000 972000	973000 974000 975000	976000 977000 978000	979000 979000 979000	980000 981000 982000	983000 984000 985000	986000 987000 988000	989000 989000 989000	990000 991000 992000	993000 994000 995000	996000 997000 998000	999000 999000 999000
-------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------

Extend the rights and obligations of radiographer technicians.
Stroi. truboprov. 9 no.3:34 Mr '64. (MIRA 18:2)

1. Stroitel'no-montazhnoye upravleniye No.10 Svarochno-mon-
tazhnogo tresta, Ryazan'.

U.S.S.R.

Ground concrete made of sand and crushed stone
with cementitious material, Mixture No. 1, was treated
during 20 min. by NDT-2000 (1000 rpm). Slag cement
and crushed stone were ground together to 95%
fine ground in an edge mill for 18 min. (100%
time) and 95% fine sand mixed in a concrete mixer for
30 sec. with cement slurry having a water content of 6%
and then mixed for 60-90 sec. with the necessary am. of
cementitious material (100% time). The finished mix was
reduced into metallic form, held for 6 hr., vibrated, and
then cured in a mold. Different combinations
of aggregate were selected and two types of cements
selected. The shear modulus strength after different
treatments was measured to obtain the strength curve as
an inverse function of unit weight of the concrete. Whether
any effect of treatment can be noticed and the rank according to
strength increase, initial will be shown later one and
gypsum and aluminum oxide cements introduced
herein for first exothermic to 100° for 16 hr. Their
strength is given in table I.

MALUTY, Marian

Gravity die casting of Kreisinger rings. Przegl odlew 15 siedz:
108-110 Ap '65.

1. Submitted November 27, 1964.

MALUTY, Marian

Obtaining cast-iron castings by pouring into metal forms.
Przegl kolej mechan II [i.e. 16] no.2;61-64 F '64

1. Railway Stock Repair Plant, Gliwice.

ACCESSION NR: AT4038894

distributions, though not absolute values, permit comparison of the voltages of a beam of neutrons running at different angles or the numbers of incident neutrons depending upon the energy. This evaluation of the stream would be correct if the neutrons were subject to scattering only on the hydrogen nuclei, but a part of them reach the measuring chamber lying at a distance from the front of the plate and are subject to scattering on the heavy nuclei making up the emulsion on the plate. This number of neutrons scattered on heavy nuclei practically produces no rebound protons (in the first collision). The weakening of the beam of neutrons passing through the emulsion depends basically upon the distance from the front of the plate. Nine bands parallel to the rib of the plate were studied, and a total of 1,226 tracks measured. Orig. art. has: 8 figures, 4 tables and 14 formulas.

ASSOCIATION: Katedra Fizyki Doswiadczonej Uniwersytetu Lodzkiego Lodz (Chair of Experimental Physics of Lodz University)

SUBMITTED: 00

DATE ACQ: 18Jun64

ENCL: 00

SUB CODE: NP

NO REF Sov: 001

OTHER: 009

Card 2/2

ACCESSION NR: AT 4038894

P/2538/61/000/009/0089/010⁴

AUTHOR: Malecki, Henryk (Maletski, Genrikh); Maluszynska, Krystyna (Malushin'ska, Kristina); Niedzwiedziuk, Kazimierz (Nedvedyuk, Kazimezh)

TITLE: A method of measuring a neutron stream by means of nuclear emulsion plates

SOURCE: Lodz. Uniwersytet. Zeszyty naukowe. Seria II. Nauki Matematyczno-przyrodnicze, no. 9, 1961. Projektowanie i budowa akceleratora jonowego (Design and construction of an ion accelerator), 89-104

TOPIC TAGS: neutron stream, nuclear emulsion plate, angular distribution scattering, electron-beam voltage, hydrogen nucleus, track

ABSTRACT: Methods of detecting neutrons are based on exploitation of secondary effects occurring when neutrons react with nuclei. The most used method of detecting fast neutrons exploits elastic collisions with hydrogen nuclei. The paper works out a method for investigating, by means of nuclear emulsion plates, the angular distributions of scattered neutrons and those of energetic neutrons. To obtain these distributions, it determines the voltage of the beam of neutrons striking at the angles studied by that method. It similarly obtains the energy spectrum by determining the neutron streams for specified energy sections. These

Card 1/2

IGLEWSKI, S.; MALUSZYNSKA, K.; NATANSON, L.; TURKIEWICZ, J.; ZUPRANSKI, P.

Further measurements of the angular distribution of fast neutrons
elastically scattered on Ga. Acta physica Pol 23 no.6:843-
844 Je '63.

1. Department of Experimental Physics, University, Lodz (for
Iglewski, Maluszynska). 2. Institute of Nuclear Research,
Polish Academy of Sciences, Swierk by Otwock (for Natanson,
Turkiewicz, Zupranski).

MALECKI, Henryk; MALUSZYNSKA, Krystyna; NIEDZIEDZIUK, Kazimierz

A method of measuring the neutron flux using nuclear emulsion.
Nauki matem przyrod Lodz no.9:89-104 '61.

1. Katedra Fizyki, Doswiadczałnej, Uniwersytet, Lodz.

MALUSZYNKA, K.; NATANSON, L.; TURKIEWICZ, J.; ZUPRANSKI, P.

Angular distributions of fast neutrons elastically scattered on Ca.
Bul Ac Pol Mat 9 no.8:621-623 '61.

1. Department of Experimental Physics, University, Lodz and Institute
for Nuclear Research, Polish Academy of Sciences. Presented by M. Danysz.

SHCHERBATYKH, P.Ya., prof.; MALUSHKO, V.V., kand. veterin. nauch; KALMYKOV,
G.M., veterin. vrach; KOMISSAROV, K.P., veterin. vrach

Culture of the virus of infectious encephalomyelitis of horses
in tissue cultures. Veterinariia 41 no.2:21-24 F '64.
(MIRA 17-12)

1. Leningradskiy veterinarnyy institut.

MALUSHKO, V. V. Cand Vet Sci — (diss) "Ringworm of agricultural animals: prophylaxis and therapy with shale oil derivatives," Leningrad, 1960, 17 pp, 240 cop. (Leningrad Veterinary Institute) (KL, 42-60, 116)

KIRGOLAYEV, Aleksey Mikhailevich; KALINIKH, Vladimir Fedorovich
GTSM, I.B., kand. sel'khoz. nauk, retsenzent; NEGATAYA,
L.P., red.

[Technology of cheese] Tekhnologiya syra. 2. izd. Moscow,
Pishchevaiia promstlennost', 1964. 263 p. (MIRA 17:9)

MALUSHKO, Vladimir Fedorovich; NIKOLAYEV, Aleksey Mikhaylovich;
~~SHUVALOV, S.I.~~, spetsred.; IVANOVA, N.M., red.; PEREDERIY,
S.P., tekhn.red.

[Technology of cheese] Tekhnologiya syra. Moskva, Pishcheprom-
izdat, 1960. 247 p. (MIRA 14:4)
(Cheese)

1. POPOV, I.; MALUSHKO, V. F
2. USSR (600)
4. Cheese Factories
7. Some problems of re-equipping cheese plants, I. Popov, V. Malushko, Moloch.prom. 14 no. 5, 1953.
9. Monthly List of Russian Accessions, Library of Congress, APRIL 1953, Uncr.

1. MALUSHKO, Eng. V.F.
2. USSR (600)
4. Cheese
7. Determining readiness of the rennet curd in cheese making, Mol. prom., 13, No. 11, 1952.
9. Monthly List of Russian Accessions, Library of Congress, February 1953. Unclassified.

M A L U S H K O , B . G .

MALUSHKO, B.G., inzh.

Changing the design of the valves of locomobile feed pumps. Ener-
getik 5 no.10:15-17 0 '57. (MIRA 10:12)
(Pumping machinery)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031900018-6

MALUSHINSKI, Ya.; POSPELOV, D.A.

Method for separating independent bits in a program system.
Trudy MEI no.53:111-116 164. (MIRA 17;6)

MIKHO, V.V.; MALUSHIN, N.V.

Brilliance waves of electroluminescence in an electrolytic bath. Zhur.
fiz.khim. 37 no.7:1587-1588 J1 '63. (MIRA 17:2)

1. Odesskiy gosudarstvennyy universitet.

MALUSHIN, I.I.

Method of constructing reflection limits in the reflection method
of seismic prospecting. Razved.i prom.geofiz. no.43:38-40 '62.
(MIRA 15:8)

(Seismic prospecting)

L 2170-66
ACCESSION NR: AP5024497

in the role of the crystalline phase and to polymer incompatibility. Orig. art.
has: 3 figures and 1 table

ASSOCIATION: None

SUBMITTED: 00

ENCL: 00

SUB CODE: MT ,OC

NR REF SOV: 007

OTHER: 001

Card 2/2

L 2170-66 EWT(m)/EWP(j) RM

ACCESSION NR: AP5024497

UR/0191/65/000/010/0006/0008

678.742.2+678.742.4:678.023.334

AUTHOR: Martynov, M. A.; Yuzhin, V. M.; Malushin, A. I.; Tkachenko, G. F.

TITLE: Compatibility of high density polyethylene with polyisobutylene

SOURCE: Plasticheskiye massy, no. 10, 1965, 6-8

TOPIC TAGS: polyisobutylene, polyethylene plastic, electric cable, crystalline polymer, amorphous polymer, polymer structure, elasticity, elongation, tensile stress, composite material

ABSTRACT: Reduction of rigidity in cable made of high density polyethylene by incorporation of amorphous polyisobutylene (PIB) was examined. X-ray examination of compositions comprising partially crystallized high density polyethylene with 5-20% amorphous PIB showed that the two polymers are incompatible. Introduction of PIB to the polyethylene improved its elasticity and increased its resistance to cracking, but progressively reduced its strength. Maximum relative elongation was obtained with 5% PIB. Improvement in the elastic properties of the composition is explained by increase in the amorphous phase content and decrease

Card1/2

MALUSHA, K.V., kand. sel'skokhoz. nauk

Results of forage seed breeding and seed production work.
Agrobiologiya no.2351-108 M-1p '64. (MIRA 17.6)

1. Institut sel'skokhoz. i zashchitovedenija zapadnykh rayonov
Ukrainskoj SSSR, Lvovskaya oblast'.

VOL'SKIY, V.G.[Vol's'kyi, I.H.], otv. red.; YEVMINOV, V.M.
[IEvminov, V.m.], red.; IRVANETS', O.M., red.;
KIPARENKO, M.M.[Kyparenko, M.M.], red.; KOZAK, Ye.I.,
red.; MALUSHA, K.V., red.; NEFEDOV, I.N., red.;
OVSYANNIKOV, V.R., red.; PLETN'IOVA, O.V., red.; SULIMA,
Ya.F., red.[Sulyma, IA.F.], red.; FAVOROV.O.M., red.

[Recommendations for the chemicalization of agriculture in
Lvov Province] Rekomendatsii po khimizatsii sil'skoho hospo-
darstva L'vivshchyny. L'viv, Kameniar, 1964. 84 p.
(MIRA 17:9)

1. Naukovo-doslidnyy institut zemlerobstva i tvarynnyststva
zakhidnykh rayoniv URSS.

MALUSHA, K.V., nauchnyy sotrudnik; MIKHAYLETS, V.I., nauchnyy sotrudnik

Estimating local varieties of millet for their resistnace to
diseases and pests. Zashch. rast. ot vred. i bol. 6 no.3:28-29
Mr '61. (MIRA 15:6)

(Ukraine—Millet—Disease and pest resistance)

MALUSEV, Dusan, prim., dr.

Echinococcosis of the female genitalia. Srpski arh. celok. lek. 88
no.12:1193-1300 D '60.

1. Ginekolosko-akusersko odeljenje Opste bolnice u Vrsacu. Sef:
prim. dr Dusan Malusev.

(ECHINOCOCCOSIS case reports) (GYNECOLOGY)

L 39821-66 EMP(k)/EMP(h)/EMP(v)/EMP(l)/EMP(l) EMP(c) ID/5W/AB
ACC NR: AP6022560 SOURCE CODE: CZ/0031/65/013/012/0875/0876

AUTHOR: Malusek, Antonin (Engineer)

ORG: ZKL, Brno

TITLE: Rolling of rings on the Czechoslovak LR 270 machine

SOURCE: Strojirenska výroba, v. 13, no. 12, 1965, 875-876

TOPIC TAGS: metal rolling, metalworking machine/LR 270 metalworking machine

ABSTRACT: The article discusses the prototype LR 270 machine for the rolling of rings up to 300 mm in diameter and gives a schematic diagram of the equipment and the parameters of the rings which it can work and which can be worked by the UR 250/260 and KFRW 400 previously available. Small series production is contemplated. Orig. art. has: 3 figures and 1 table. [JPRS]

SUB CODE: 13 / SUBM DATE: none

Card 1/1 // S

0715

256.9

MALUSEK, Antonin, inz.

Shape rolling. Stroj vyr 12 no.9:624-630 S '64.

1. Zavody na traktory a valiva loziska, Brno-Lisen.

MALUSEK, J.; MATOUSEK, J.

Determination of fluorostan with thiosalicylic acid. Prac.
lek. 15 no. 6:245-247 Ag '63.

1. Vojenska akademie Aut. Zapovedkho, Brno,
(COPORIMTRY) (SALICYLIC ACID)
(SULPHYDRYL COMPOUNDS) (FLUORGANICATIVES)
(CHEMISTRY, ANALYTICAL)

CZECHOSLOVAKIA

MALUSEK, J., and MATOUSEK, J., Antonin Zapotocky Military Academy
(Vojenska akademie Antonina Zapotockeho), Brno.

"Determination of Fluoroacetates With Thiosalicylic Acid"

Prague, Pracovni Lekarstvi, Vol XV, no 6, August 1963, pp 245-247.

Abstract [Authors' English summary]: A colorimetric method for determining semimicroquantities of fluoroacetates in water is described. It is based on the red color of thioindigo following a reaction of fluoroacetate with thiosalicylic acid. Estimation of fluoroacetate in various contaminated materials is described. Seven references.

1/1

3/17/62/000/010/003/025
A052/A101

AUTHOR: Malusecki, Marian

TITLE: Production of thin-wall tubes

PERIODICAL: Referativnyy zhurnal, Metallurgiya, no. 10, 1962, 33,
abstract 10D204 ("Rudy i metale niezel", 1, no. 2, 1962,
66 - 69, Polish; summaries in Russian, English, French, German)

TEXT: Problems relating to the production of Cu-alloy tubes with a wall
thickness of < 0.3 mm are discussed. The designs of test mandrels and of the
draw hole are described, as well as the special features of technological opera-
tions.

A. Bulanov

[Abstracter's note: Complete translation]

Card 1/1

MALUSECKI, Antoni, mgr; STUDENCKI, Jerzy, mgr

Solution spark analysis of aluminum alloys. Rudy i
metale 9 no.6:325-328 Je '64.

APPROVED FOR RELEASE - 06/23/11 - CIA-RDP86-00513R001031900018-6

MATLUS, T.

R
MALUKAR, S.
A

Relation of first impulses in horizontal and vertical magnetograms of Alibag, India. In English. p. 359.

ACTA PHYSICA. (Magyar Tudomanyos Akademia). Budapest, Hungary.
Vol. 8, no. 3, 1958

Monthly list of East European Accessions (EEAI), LC, Vol. 8, no. 7, July 1959
uncl.

HUNGARY/Nuclear Physics - Cosmic Rays.

C

Abs Jour : Ref Zhar Fizika, No 12, 1959, 26949

in the period of disappearance of the active region soon after the passage of the central meridian. The particles of cosmic radiation, correlated with the flares in solar activity, have not too small and not too large atomic numbers and a positive charge. The less represented a certain element is in the general spectrum, the lower its relative contents in the sun (for example, Sr, Ba, etc.). This problem can possibly be solved by spectrographic investigation.

Card 3/3

- 30 -

HUNGARY/Nuclear Physics - Cosmic Rays.

C

Abs Jour : Ref Zhar Fizika, No 12, 1959, 26949

In magnetic phenomena, it is necessary to take into account not only the flares themselves, but also the entire evolution and growth of the regions of increased solar activity. A study of the problems shows that strong bursts in the intensity of cosmic radiation, connected with solar flares, occurred wherever the region of solar activity had along prior history of development, having an activity greater than usual, or else whenever the active region was observed near the central meridian or near the western edge of the sun. In the former case a geomagnetic storm took place directly connected with the increase in the intensity of the cosmic radiation. In the latter case -- no geomagnetic disturbances of this character took place. During the time of the two strongest geomagnetic storms the active region had a shorter age and history. Strong bursts took place

Card 2/3

HUNGARY/Nuclear Physics - Cosmic Rays.

Abs Jour : Ref Zhur Fizika, No 12, 1959, 26949

Author : Malurkar, S.L.

Inst : Colaba Observatory, Bombay, India

Title : Solar Flares, Concurrent Cosmic Ray Bursts, and Subsequent Geomagnetic Storms

Orig Pub : Acta Phys. Acad. scient. hung., 1958, 8, No 3, 285-300

Abstract : Until recently five large burst in intensity of cosmic rays have been recorded, connected with the flares in solar activity. Two of these, for which a comparison could be made, were accompanied by geomagnetic storms. Data were used here from many stations, including the Alibar station (India). It appears that in the study of such correlations, as in other

Card 1/3

MALURKAR, S.L.

301-Rm2

537,591.5
2982. DAILY TOTAL COSMIC-RAY INDICES AT
HUANCAYO AND WORLD GEOMAGNETIC INDICES AND
MAGNETIC STORMS. S.L. Malurkar
Acta phys. Hungar., Vol. 3, No. 2, 1951-58 (1959)

The relationship between the time variations of the earth's magnetic field and the corresponding variations in cosmic-ray ionization has been looked into by Messerschmidt, by Forbush, by Hess, by Hogg and by Lange and Forbush among others. Striking effects during magnetic storms have been reported but quite a few occasions exist when no such effect could be detected. A method of characterizing the cosmic-ray values recorded in a day in analogy with magnetic variations at an observatory is given. The cosmic-ray indices have been calculated from Lange and Forbush's two hourly mean readings at Huancayo for all days in 1940 and for magnetically disturbed days from June 1938 to December, 1944. The values have been shown against total geomagnetic indices of the world and dot diagrams also plotted. In the daily cosmic-ray indices for 1940, the dot diagram does not point definitely to any relation, i.e. the scatter is too broad. In the dot diagram for the disturbed days there is a sort of general increase of world geomagnetic indices and cosmic-ray indices. But the increase seems to fall into two branches, one where the cosmic-ray index is large and the magnetic index is relatively small and the other where the cosmic-ray index is comparatively smaller but the magnetic one seems to dominate. More definite conclusions may be possible if data from other observatories are also analyzed.